



**Minutes**

**Committee #4**

**Recycling, Computerization, Building, and Intergovernmental Services**

**Committee #4 met Tuesday, August 20, 2019 at 5:30 pm in the City Hall Council Chambers, 30 West Central Street, Chippewa Falls, WI.**

Committee Members present: Chuck Hull, Paul Olson, and Rob Kiefer.

Mayor/Other Council Members present: Mayor Hoffman, Paul Nadreau, and CW King

Others present: Director of Public Works/City Engineer/Utilities Manager Rick Rubenzer and City Clerk Bridget Givens

The meeting was called to order at 5:30 pm.

**1. Discuss replacement of flooring in the Council Chambers. Possible recommendations to the Council.**

The Committee discussed the pros and cons of the different presented flooring options.

**Motion by Kiefer/Hull** to recommend Council approve proceeding with the quote for carpet tiles in the Council Chambers and refer the item to Committee #1 for funding discussion. **All present voting aye, motion carried.**

**2. Adjournment**

**Motion by Olson/Kiefer** to adjourn at 5:50 pm. **All present voting aye, motion carried.**

Minutes submitted by:  
Chuck Hull, Chair

## Bridget Givens

---

**From:** Scot Michels  
**Sent:** Tuesday, May 28, 2019 11:20 AM  
**To:** Bridget Givens  
**Subject:** FW: asbestos proposal  
**Attachments:** Chippewa Falls City Hall Cov.pdf; Chippewa Falls City Hall Prop.pdf; COIs and customer lists 2019.pdf

---

**From:** Matt Schuebel [mailto:matt@brackthermal.com]  
**Sent:** Wednesday, May 01, 2019 7:48 PM  
**To:** Scot Michels <smichels@chippewafalls-wi.gov>  
**Subject:** asbestos proposal

Scot-

Here is our cover letter and proposal for the asbestos removal from the City Hall. I've also attached our certificates of insurance and customer lists for your review.

Let me know if you have any questions. We will need a signed copy returned or a PO number before we can proceed with any work.

Thanks,

Matt Schuebel, President  
Brack Thermal Systems, Inc.  
2419 Spooner Avenue  
Altoona, WI 54720  
Ph: 715-839-9461 Fax: 715-839-0612  
Email: [matt@brackthermal.com](mailto:matt@brackthermal.com)

# **BRACK** Thermal Systems, Inc.

## ASBESTOS ABATEMENT

2419 Spooner Avenue, Altoona, WI 54720  
(715) 839-9461 Fax (715) 839-0612  
matt@brackthermal.com

May 1, 2019

Scot Michels  
Chippewa Falls City Hall  
30 West Central Street  
Chippewa Falls, WI 54729

Dear Mr. Michels:

Enclosed please find my proposal for the removal of asbestos containing materials from the Chippewa Falls City Hall along with an option for grinding the floors after abatement.

Thank you for the opportunity to provide you with this proposal. We appreciate this opportunity to serve you and we look forward to working with you in the near future. Also, enclosed please find our customer list from 2016-2018. Brack Thermal Systems, Inc. is a company who has specialized in asbestos abatement since 1986 and provides the best asbestos removal job at the best price. Be assured that our projects meet or exceed all of Wisconsin's asbestos abatement rules and regulations.

Should our proposal be satisfactory to you, please sign and send a copy to us at your earliest convenience. Please call should you have any questions. Thank you.

Sincerely,

Matt Schuebel, President  
Brack Thermal Systems, Inc.  
WI Certified Asbestos Supervisor ACS-107687  
WI Certified Asbestos Project Designer APD-107687

Enclosures

# **BRACK** Thermal Systems, Inc.

ASBESTOS ABATEMENT  
2419 Spooner Avenue, Altoona, WI 54720  
(715) 839-9461 Fax (715) 839-0612  
matt@brackthermal.com

---

May 1, 2019

Scot Michels  
Chippewa Falls City Hall  
30 West Central Street  
Chippewa falls, WI 54729

Dear Mr. Michels:

We submit for your consideration the following proposal: Brack Thermal Systems, Inc. shall furnish all the necessary labor, materials, equipment, project design, and insurance (as per enclosed certificates) to perform the removal of approximately 1,050 square feet of asbestos containing floor tile and its asbestos containing mastic/glue from the 2<sup>nd</sup> floor Chambers Room from the City Hall located at the above address. This price is if we do the mastic/glue removal using chemical methods.

The following apply:

1. According to DNR and OSHA regulations, Brack Thermal Systems, Inc. shall protect the interior environment of the building and the exterior environment around the building from asbestos contamination, including proper disposal of all asbestos-containing materials removed.
2. Brack Thermal Systems, Inc. shall furnish all notifications to and from the DNR and DHS as required, prior to, during, and following the completion of the project.
3. Brack Thermal Systems, Inc. shall furnish client with employee's WI certifications, physician's approval to wear a respirator, respirator protection plan, dump manifest, and air monitoring results upon completion of the project.
4. Client will be responsible to see that the area(s) are totally vacated except for Brack Thermal System, Inc.'s employees for the duration of the project.
5. Client is responsible to provide water (we need to be able to hook up a garden hose) and electricity.
6. Client is responsible to turn off all air moving equipment which puts air into, out of, or through our work area.
7. Client shall remove all movable objects from the above-mentioned areas, including chairs, desks, tables, bookshelves, etc. Should client choose to leave any of the above in the work area, Brack Thermal Systems, Inc. will not be responsible for the removal of any flooring material under the objects, nor will Brack Thermal Systems, Inc. be responsible for damages to anything left in the work area.

# **BRACK Thermal Systems, Inc.**

## ASBESTOS ABATEMENT

2419 Spooner Avenue, Altoona, WI 54720

(715) 839-9461 Fax (715) 839-0612

matt@brackthermal.com

8. Brack Thermal Systems, Inc. shall conduct personal air monitoring pcm post abatement air monitoring only.
9. Brack Thermal Systems, Inc. is not preparing the floor for the flooring contractor and shall not be responsible for any problems the flooring contractor has applying his/her new floor.

---

10. Brack Thermal Systems, Inc. shall remove the built-up asbestos-containing mastic; however, the floors shall never be asbestos free. Very porous concrete and /or floor patches may remain dark in color from the mastic staining.
11. The bottom 2 inches of the adjacent walls and cabinets may also experience mastic staining and Brack Thermal Systems, Inc. shall not be responsible for the staining.
12. Should additional asbestos be found (including asbestos which the client did not tell us to remove during our walk-through, concealed asbestos, or asbestos not listed on our proposal) and the client wants it removed or encapsulated, Brack Thermal Systems, Inc. shall do so on a time and material basis only upon written order from the client.
13. This proposal may be withdrawn after 30 days.

The above work shall be carried out under high standards of quality and workmanship. The above work shall be completed for \$2,760.00 (TWO THOUSAND SEVEN HUNDRED SIXTY DOLLARS). Payment is due net 10. Any payment made past 30 days shall be subject to 1.5% interest per month. Any alteration or deviation from the above-mentioned specifications that involves extra cost will become an extra charge over and above the price as listed above. The above price includes all applicable sales tax.

**Option A:** Should client want Brack Thermal Systems, Inc. to remove approximately 32 square feet of asbestos containing floor tile and mastic glue from the two closets on the south end of the room for an additional \$100.00 (ONE HUNDRED DOLLARS) total to the above price per client requests. If this option is accepted, initial here along with the signature and date below. \_\_\_\_\_

**Option B:** Brack Thermal Systems, Inc. will grind the floors down until there is not any remaining patterns from the floor tiles and mastic/glue for an additional \$2,700.00 (TWO THOUSAND SEVEN HUNDRED DOLLARS) total to the above price per client requests. If this option is accepted, initial here along with the signature and date below.  
\_\_\_\_\_

\_\_\_\_\_  
Scot Michels  
Chippewa Falls City Hall

\_\_\_\_\_  
Date



# CERTIFICATE OF LIABILITY INSURANCE

UPDATED  
INSURANCEDATE (MM/DD/YYYY)  
12/19/2018

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).


<b>PRODUCER</b> Bonding & Insurance Specialists Agency, Inc. In California, CBA Bonds and Insurance Services, Lic: # 0795489 13841 Southwest Highway Orland Park IL 60462-1354	<b>CONTACT NAME:</b> Karen O'Connell <b>PHONE (A/C, No, Ext):</b> 708-598-5355 <b>E-MAIL ADDRESS:</b> koconnell@bisa-inc.com	<b>FAX (A/C, No):</b> 708-598-6686
	<b>INSURER(S) AFFORDING COVERAGE</b> <b>INSURER A:</b> ARCH Specialty Insurance Company <b>INSURER B:</b> <b>INSURER C:</b> <b>INSURER D:</b> <b>INSURER E:</b> <b>INSURER F:</b>	
<b>INSURED</b> Brack Thermal Systems, Inc. 2419 Spooner Avenue Altoona WI 54720		

**COVERAGES** **CERTIFICATE NUMBER:** **REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDITIONAL INSURED	SUBROGATION WAIVED	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR <input checked="" type="checkbox"/> Contractors Pollution Liability <input checked="" type="checkbox"/> Asbestos Ops GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input checked="" type="checkbox"/> PROJECT <input type="checkbox"/> LOC <input type="checkbox"/> OTHER:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	12 EMP 43527 14	12/31/18	12/31/19	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 100,000 MED EXP (Any one person) \$ 5,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000 *PER CLAIM \$ 1,000,000 COMBINED SINGLE LIMIT (Ea accident) \$ BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$
	AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> NON-OWNED AUTOS ONLY						EACH OCCURRENCE \$ AGGREGATE \$ \$
	UMBRELLA LIAB <input type="checkbox"/> OCCUR EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED <input type="checkbox"/> RETENTION \$						PER STATUTE <input type="checkbox"/> OTH/ER <input type="checkbox"/> EL EACH ACCIDENT \$ EL DISEASE - EA EMPLOYEE \$ EL DISEASE - POLICY LIMIT \$
A	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? <input checked="" type="checkbox"/> Y/N <input type="checkbox"/> N/A (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below:			12 EMP 43527 14	12/31/18	12/31/19	\$1,000,000 - PER CLAIM \$1,000,000 - AGGREGATE

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

<b>CERTIFICATE HOLDER</b> FOR INFORMATION AND BIDDING PURPOSES. I kao	<b>CANCELLATION</b> SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
	AUTHORIZED REPRESENTATIVE 



# CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

01/14/2019

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER	Lauer Insurance Agency, Inc. 919 Fairfax St Suite 103 Altoona, WI 54720	CONTACT NAME: Dawn	PHONE (A/C, No, Ext): (715)835-9698	FAX (A/C, No): (715)835-1850	
		E-MAIL ADDRESS: dawn@lauerinsurance.com			
INSURED	BRACK THERMAL SYSTEMS INC 2419 Spooner Ave Altoona, WI 54720	INSURER(S) AFFORDING COVERAGE			NAIC #
		INSURER A: Auto Owners			32700
		INSURER B:			
		INSURER C:			
		INSURER D:			
		INSURER E:			

## COVERAGES

CERTIFICATE NUMBER: 0000000-0

REVISION NUMBER: 5

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL SUBR INSD VWD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
	COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS MADE <input type="checkbox"/> OCCUR  GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC OTHER:					EACH OCCURRENCE \$ DAMAGE TO RENTED PREMISES (EA occurrence) \$ MED EXP (Any one person) \$ PERSONAL & ADV INJURY \$ GENERAL AGGREGATE \$ PRODUCTS - COM/PROP AGG \$ \$
A	AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input checked="" type="checkbox"/> HIRED AUTOS ONLY <input checked="" type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> NON-OWNED AUTOS ONLY		5154679200	12/15/2018	12/15/2019	COMBINED SINGLE LIMIT (EA accident) \$ BODILY INJURY (Per person) \$ 1,000,000 BODILY INJURY (Per accident) \$ 1,000,000 PROPERTY DAMAGE (Per accident) \$ 1,000,000 \$
	UMBRELLA LIAB <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> DED <input type="checkbox"/> RETENTIONS <input type="checkbox"/> OCCUR <input type="checkbox"/> CLAIMS MADE					EACH OCCURRENCE \$ AGGREGATE \$ \$
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below		N/A			<input type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER E.L. EACH ACCIDENT \$ E.L. DISEASE - EA EMPLOYEE \$ E.L. DISEASE - POLICY LIMIT \$

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

## CERTIFICATE HOLDER

## CANCELLATION

BLANK	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
	AUTHORIZED REPRESENTATIVE: <i>Rebecca A. Plater</i> (DMR)



BRACTH1

OP ID: MC

**CERTIFICATE OF LIABILITY INSURANCE**

DATE (MM/DD/YYYY)  
01/15/2019

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

**IMPORTANT:** If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed, if SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

<b>PRODUCER</b> Spectrum Insurance Group - EC 4233 Southtowne Drive Eau Claire, WI 54701 Mary A Kaiser	715-858-9865	<b>CONTACT NAME:</b> Mary E Hutson-Clark <b>PHONE (A/C, No, Ext):</b> 715-858-9865 <b>FAX (A/C, No):</b> 715-858-9866 <b>E-MAIL ADDRESS:</b> mary.clark@spectruminsgroup.com
	<b>INSURER(S) AFFORDING COVERAGE</b>	
<b>INSURED</b> BrackThermal Systems Inc 2419 Spooner Ave Altoona, WI 54720	<b>INSURER A:</b> EMC	<b>NAIC #</b>
	<b>INSURER B:</b>	
	<b>INSURER C:</b>	
	<b>INSURER D:</b>	
	<b>INSURER E:</b>	
	<b>INSURER F:</b>	

**COVERAGES**                      **CERTIFICATE NUMBER:**                      **REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
	<b>COMMERCIAL GENERAL LIABILITY</b> <input type="checkbox"/> CLAIMS-MADE <input type="checkbox"/> OCCUR  GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PROJ/JEOT <input type="checkbox"/> LOG OTHER:						EACH OCCURRENCE \$ DAMAGE TO RENTED PREMISES (Ea occurrence) \$ MED EXP (Any one person) \$ PERSONAL & ADV INJURY \$ GENERAL AGGREGATE \$ PRODUCTS - COMP/OP AGG \$ \$
	<b>AUTOMOBILE LIABILITY</b> <input type="checkbox"/> ANY AUTO OWNED AUTOS ONLY <input type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> NON-OWNED AUTOS ONLY						COMBINED SINGLE LIMIT (Ea accident) \$ BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$
	<b>UMBRELLA LIAB</b> <input type="checkbox"/> OCCUR <b>EXCESS LIAB</b> <input type="checkbox"/> CLAIMS-MADE DED    RETENTIONS						EACH OCCURRENCE \$ AGGREGATE \$ \$
A	<b>WORKERS COMPENSATION AND EMPLOYERS' LIABILITY</b> ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	<input checked="" type="checkbox"/> Y/N <input type="checkbox"/> N/A	N/A	5H6643019	06/24/2018	06/24/2019	PER. STATUTE    OTH. ER E.L. EACH ACCIDENT \$ 100,000 E.L. DISEASE - EA EMPLOYEE \$ 100,000 E.L. DISEASE - POLICY LIMIT \$ 500,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

<b>CERTIFICATE HOLDER</b>	<b>CANCELLATION</b> SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
	<b>AUTHORIZED REPRESENTATIVE</b> Mary A Kaiser

# BRACK Thermal Systems, Inc.

## ASBESTOS ABATEMENT

2419 Spöcker Avenue, Altoona, WI 54720

(715) 839-9461 Fax (715) 839-0612

matt@brackthermal.com

### 2018 Customer List

AMPI- Jim Falls  
Abbotsford High School- Abbotsford  
Acme Excavating- La Crosse  
American Express Transport LLC  
Ashland School District- Ashland  
BEE Restoration\*  
Bartingale Mechanical Inc.\*  
Beacon House- Eau Claire  
Buffalo County- Gilmanton  
C & D Excavating\*  
CESA\*  
Chad Reisgraf Construction- Stockholm  
Chippewa County Housing Authority- Chippewa Falls  
City of La Crosse- La Crosse  
City of Merrill- Merrill\*  
City of Neillsville- Neillsville\*  
Construction Restoration Services- La Crosse  
Corner Stone Christian Church- Eau Claire  
County Manor Apartments LLC- Bay City  
Crivitz Elementary School- Crivitz\*  
Cumberland Elementary School- Cumberland  
Cummings Apartments- Marshfield  
Dan Marx Properties- Eau Claire  
Durand Builders- Ladysmith  
E & B Rental- Eau Claire\*  
Eau Claire County Courthouse- Eau Claire  
Elcho School District- Elcho  
GET School District- Galesville  
Genesis Child Development Center- Eau Claire  
Goldridge Companies- Chippewa Falls  
Good Shepherd Church- Eau Claire  
Gundersen Tri-County Hospital- Whitehall\*  
Habitat for Humanity- La Crosse  
Hess Excavating- La Crosse  
Hoeff Builders Inc- Eau Claire  
House Calls of Menomonie- Ellsworth  
Immaculate Conception Grade School- Eau Claire\*  
Interior Affairs- Taylor  
Kustom Construction- Cadott  
Kwik Trip, Inc.\*  
Landmark Company- Eau Claire\*  
Larson Street Landlords- Bloomer  
Leading Edge Contracting- Hudson  
Leinenkugel Brewery- Chippewa Falls  
Lighthouse Baptist Church- Eau Claire  
Lowther Brothers LLC- Richland Center  
Market & Johnson\*  
Marshfield Clinic Inc.- Ladysmith  
Marshland Acres Inc.- Durand  
Mayo Clinic Health Systems- Barron  
Mayo Clinic Health Systems- Bloomer\*  
Mayo Clinic Health Systems- Chetek  
Mayo Clinic Health Systems- Eau Claire\*  
Mayo Clinic Health Systems- Menomonie\*  
Mayo Clinic Health Systems- Osseo\*  
Merrill High School- Merrill  
Monroe County Courthouse- Sparta  
Mule Hide Manufacturing- Cornell\*  
Nativity Catholic Church- Rhinelander\*  
Notre Dame Church- Chippewa Falls  
Oneok Inc.- Chippewa Falls  
Our Lady of the Lake Catholic School- Ashland\*  
Pilgrim's Pride- Arcadia  
Pine Grove Community Church- Rhinelander  
Platteville School District- Platteville\*  
Prentice School District- Prentice  
Prescott School District- Prescott  
PuroClean Disaster Recovery- Pelican Lake  
Reglin and Hesch Excavating- Alma\*  
RJ Jurowski Construction- Whitehall\*  
Rock & Tait\*  
Rolling Hills Nursing Home- Sparta  
Ross & Associates Ltd- River Falls\*  
Sacred Heart Church- Marshfield  
Saint James the Greater- Eau Claire  
Samson Heating Inc.- Independence  
Service Master- Chippewa Falls\*  
ServPro- Eau Claire\*  
ServPro- St. Croix  
SmartSand Inc.- Hixton  
Spencer School District- Spöcker  
St. John's Lutheran Church- Pittsville  
St. Mary's Catholic Church- Lindon Station  
St. Paul's Lutheran Church- Thorp  
Steamatic- Eau Claire\*  
Strek-O-Doors- Abbotsford\*  
Thorp School District- Thorp\*  
US Bank- Eau Claire  
Western Dairyland- Independence  
Whitehall School District- Whitehall  
Wood County Highway Department- Wisconsin Rapids

Excludes residential projects

\*Denotes more than one project completed in 2017

# BRACK Thermal Systems, Inc.

## ASBESTOS ABATEMENT

2419 Spooner Avenue, Altoona, WI 54720  
(715) 839-9461 Fax (715) 839-0612  
matt@brackthermal.com

### 2017 Customer List

AMPI- Jim Falls  
Abbotsford High School- Abbotsford  
All Saints Catholic Parish- Stanley  
American Express Transport LLC  
Arcadia Country Club- Arcadia  
BEE Restoration\*  
Bartingale Mechanical Inc.- Stanley  
Beaton House- Eau Claire  
C & D Excavating\*  
CESA\*  
Carpentry Specialists- Eau Claire  
Chilson Incorporated- Eau Claire  
Chippewa County Housing Authority- Chippewa Falls  
Chippewa Restoration\*  
City of Rhinelander- Rhinelander  
County of Chippewa- Chippewa Falls  
Crivitz Elementary School- Crivitz\*  
Cumberland Elementary School- Cumberland  
Dan Marx Properties- Eau Claire\*  
Dieckman Farms LLC- Mondovi  
Eau Claire Federal Courthouse- Eau Claire  
Edgar School District- Edgar  
Edina Realty- Hudson  
Elite Realty- Chetek  
First Presbyterian Church- Eau Claire  
Gundersen Hillsboro Hospital- Hillsboro  
Gundersen Tri-County Hospital- Whitehall\*  
HSR Associates- Galesville  
Heartland Contractors Inc.- Eau Claire\*  
Hoeft Builders Inc- Eau Claire\*  
Holy Family Parish and School- Arcadia  
Hudson High School- Hudson  
Immaculate Conception Grade School- Eau Claire\*  
John Muir Middle School- Wausau  
Killian Mdse, Inc.- Arcadia  
Kwik Trip, Inc.\*  
Lake Holcombe School District- Lake Holcombe  
Lakeland High School- Minocqua\*  
Market & Johnson\*  
Marshfield Clinic Inc.- Eau Claire  
Mayo Clinic Health Systems- Barron  
Mayo Clinic Health Systems- Bloomer\*  
Mayo Clinic Health Systems- Chetek  
Mayo Clinic Health Systems- Eau Claire\*  
Mayo Clinic Health Systems- Menomonie\*  
Mayo Clinic Health Systems- Osseo\*  
Merrill Historical Society- Merrill  
Mid Wisconsin Construction LLC- Marshfield  
Mile Bluff Medical Center- Mauston  
Mule Hide Manufacturing- Cornell\*  
Nativity Catholic Church- Rhinelander  
Nativity Catholic School- Rhinelander  
North Cedar Academy- Ladysmith  
Phillips Medisize- Medford  
Pittman Law Offices- La Crosse  
Platteville High School- Platteville  
Platteville OE Grey School- Platteville  
RJ Jurowski Construction\*  
Rock & Tait\*  
Ross & Associates Ltd- Durand  
SC Johnson & Son, Inc.- Minocqua  
Sacred Heart of Jesus Parish- Mondovi  
Scott Byrd Construction- Cable  
SeryPro- Eau Claire\*  
Sparta Community Center- Sparta  
Spencer School District- Spencer  
Spooner Area School District- Spooner  
Springlake Contracting Inc.- Ladysmith  
St. Joseph's Parish- Prescott  
St. Vincent de Paul School- Wisconsin Rapids  
Steamatic- Eau Claire\*  
Stevens Point YMCA- Stevens Point\*  
Strek-O-Doors- Abbotsford\*  
TWCA At Nelson- Nelson  
Tri-Parishes- Durand  
Unity School District- Balsam Lake  
WI Northern Center- Chippewa Falls  
Wausau School District- Wausau  
Western Dairyland\*

Excludes residential projects

\*Denotes more than one project completed in 2017

# BRACK Thermal Systems, Inc.

## ASBESTOS ABATEMENT

2419 Spooner Avenue, Altoona, WI 54720  
(715) 839-9461 Fax (715) 839-0612.  
matt@brackthermal.com

### 2016 Customer List

AMPI- Jim Falls  
Alliance Bank- Mondovi  
Altoona School System- Altoona  
American Express Transport LLC  
BEE Restoration- Elk Mound  
Bruce School District- Bruce  
C & D Excavating\*  
Caddie Woodlawn School- Durand  
Chad Riesgraf Construction- Pepin  
Chippewa County Courthouse- Chippewa Falls\*  
Chippewa Restoration\*  
Chippewa County Housing Authority- Chippewa Falls\*  
Cumberland High School- Cumberland  
DSM Nutritional Products LLC- Arcadia  
Donaldson Company- Baldwin  
Durand Builders Service, Inc.- Durand  
EDJ Rentals LLC- Eau Claire  
Eau Claire City Courthouse- Eau Claire  
Eau Claire Co-Op- Eau Claire  
Eau Claire Student Housing- Eau Claire  
Edgar Elementary School- Edgar  
Fowler & Hammer- La Crosse  
Grand View Care Center Inc- Blair  
Grantsburg Elementary School- Grantsburg  
Haas Sons- Lake Hallie  
Heartland Contractors Inc- Eau Claire  
Hoeft Builders Inc- Eau Claire  
Immaculate Conception Grade School- Eau Claire  
JCap Campus Housing- Eau Claire  
Kwik Trip, Inc.\*  
Larson Siding & Construction LLC- Durand  
Legacy Services Corp.- Medford  
Market & Johnson\*  
Mayo Clinic Health Systems- Bloomer\*  
Mayo Clinic Health Systems- Eau Claire\*  
Mayo Clinic Health Systems- Menomonie\*  
Mayo Clinic Health Systems- Osseo\*  
Menomonie City Hall- Menomonie  
Menomonie Housing Authority- Menomonie  
Mule Hide Manufacturing- Cornell\*  
Osceola Middle School- Osceola  
Peace Lutheran Church- Menomonie  
Phillips Plastics Inc\*  
Pirate's Cove of Gilman- Gilman  
Platteville High School- Platteville  
Platteville Middle School- Platteville  
Prohaska Bros. LLC- Ladysmith  
RJ Jurowski Construction\*  
Rib Lake High School- Rib Lake  
Rhon Construction LLC- Menomonie  
Rock & Tait\*  
Rolling Hills Rehabilitation- Sparta  
Ross & Associates Ltd- Menomonie  
Royal Construction\*  
Sacred Heart of Jesus Church- Spring Valley  
Saint Patrick's Church- Eau Claire  
Schöetnek Home Improvements- Elcho  
ServPro- Eau Claire  
Spencer School District- Spencer  
Springlake Contracting Inc.- Rice Lake  
Statz Builders LLC- Eau Claire  
Steamatic- Eau Claire\*  
Strek-O-Doors- Abbotsford  
Tomah Chamber of Commerce- Tomah  
Tri-County Hospital- Whitehall  
Town of Lakewood- Lakewood  
Western Dairyland\*  
Westfield Elementary School- Westfield  
Westview Elementary School- Platteville  
Wintergreen Remodeling LLC- Ashland  
YMCA of La Crosse- La Crosse

Excludes residential projects

\*Denotes more than one project completed in 2016

## Bridget Givens

---

**From:** Scot Michels  
**Sent:** Tuesday, May 28, 2019 11:20 AM  
**To:** Bridget Givens  
**Subject:** FW: Concrete Polishing  
**Attachments:** Chippewa Falls City Halls Polished Concrete - Scot Michels 050819.pdf

---

**From:** Ryan Hutton [mailto:Ryan@mspconcretepolishing.com]  
**Sent:** Thursday, May 09, 2019 7:54 PM  
**To:** Scot Michels <smichels@chippewafalls-wi.gov>  
**Subject:** Concrete Polishing

Hey Scot thanks for meeting with me today.

I will send you a few different proposals:


- 1.) Polished concrete with the option of "coloring" it
- 2.) Epoxy floor coatings with a couple different systems.


Attached is the polished concrete proposal along with some photos of floors that previously had VCT on it. You will notice the grid called ghost lines.

I will try to get you the other proposal for the Epoxy tonight as I only had time to write this one for now.

Please let me know if you have any questions at all.

Thank you Kindly,







Ryan Hutton  
PO box 2243  
Stillwater, Mn 55082  
Phone: 651-231-1503  
Email: ryan@ardellcgp.com

<sup>w</sup> Chippewa Falls City Halls – Concrete flooring systems.

Date: 05/08/19

Submitted to: Scot Michels

210 Island St Chippewa Falls, WI  
Chippewa Falls, WI 54729

---

Project Name: Chippewa Falls City Hall – 05/08/19

Project Description: Grind and polishing existing concrete substrate prior to asbestos tile/ glue removal.  
Approximately 1,071 sq. ft.

Scope of work:

1. Setup equipment, etc., as necessary to complete the work.
2. Grind floor with 25 grit metal bond tooling exposing small to medium aggregate throughout the floor taking off the entire surface off the concrete.
3. Grind with 40, 80 and 120 grit metal bond diamond tooling to smooth out the floor.
4. Hand grind edges to bend in aggregate exposure around perimeter of the room.
5. Grind floor using 50, 100, and 200 grit resin bond diamond tooling. Clean thoroughly.
6. Auto scrub floor to remove all dust, apply Ameripolish 3D HS densifier to harden concrete. Allow to fully dry.
7. Polishing floor using 400, 800, and 1500 grit resin bond diamond tooling to leave a highly reflective finish.
8. Auto scrub floor until fully dry. Apply Ameripolish 3D SP E Stain protector. Allow to fully dry.
9. Run high speed propane floor burnisher of intire floor.
10. Inspect all completed work with customer representative to determine conformance with this specification.
11. Clean up jobsite and dispose of MSP Concrete Polishing's debris in dumpster(s) as provided by customer.

Price: \$6,951.50 @ \$6.50 a sq. ft.

Dyed Polished Concrete Option: \$7,764.75 @ \$7.25

Notes:

- 1.) Price includes up to 24 oz. patching material (standard grey). Beyond 24 oz. of patching material will be T&M with \$85.00 per employee working on concrete repair.
- 2.) Price includes all labor, material and taxes.
- 3.) Because of the previous VCT there is a good chance that there will be grid of "ghosting" lines. No matter the amount of grinding it can not be garenteed these lines will go away.

**Access to Work Area:**

Customer agrees to remove all non-fixed items in the area of the work so as not to impede MSPCP progress at the jobsite. This proposal does not include the moving of equipment, supplies or other personal property from the area to be prepared. Customer will accept all material applications "as well as reasonably possible" at all areas with limited or restricted access.

**Additional Customer Provided Assistance:**

1. Customer to obtain all permits, licenses and inspections as required for the work.
2. All equipment is to be removed from the area prior to MSPCD's arrival on site.
3. Customer is to provide dumpster for dried slurry, concrete dust and debris.

There may be products, ingredients or personnel in the facility that are subject to the absorption or inhalation of solvent odors, dust or shot. If so, it will be the responsibility of the owner or his agent to protect such products, ingredients or personnel; from the solvent in the materials used in the preparation and coating,

**ATTENTION:**

Please choose pricing option then sign and return entire proposal via email upon acceptance of proposal. (No cover sheet is necessary) We will contact you for scheduling this service.

Email: [Ryan@mspconcretepolishing.com](mailto:Ryan@mspconcretepolishing.com)

The above-specified information is satisfactory and is hereby accepted.	
Date of Acceptance: _____	P.O. # Or Physical Address: _____
Signature: _____	Title: _____

## Bridget Givens

---

**From:** Scot Michels  
**Sent:** Tuesday, May 28, 2019 11:19 AM  
**To:** Bridget Givens  
**Subject:** FW: Epoxy coating system bid  
**Attachments:** Chippewa Falls City Halls Epoxy Coating Systems - Scot Michels 050819.pdf

---


**From:** Ryan Hutton [mailto:Ryan@mspconcretepolishing.com]  
**Sent:** Thursday, May 09, 2019 9:22 PM  
**To:** Scot Michels <smichels@chippewafalls-wi.gov>  
**Subject:** Epoxy coating system bid


Hey Scot,

Attached is a proposal for two different kind of epoxy flooring systems. Both systems use the same epoxy the only difference is in one system there is a flake that is broadcasted into the epoxy where the other is a quarts. I will send a photo of each. Each come in any color combinations you can think of.

Please let me know if you have any questions.

Thank you Kindly,







Ryan Hutton  
PO box 2243  
Stillwater, Mn 55082  
Phone: 651-231-1503  
Email: ryan@ardellcgp.com

## <sup>w</sup> Chippewa Falls City Halls – Epoxy Coating Systems.

Date: 05/09/19

Submitted to: Scot Michels

210 Island St Chippewa Falls, WI  
Chippewa Falls, WI 54729

---

Project Name: Chippewa Falls City Hall – 05/08/19

Project Description: Epoxy coating system installation two options: Deco-Flake and Deco-Quarts.

Approximately 1,071 sq. ft.

Scope of work:

1. Setup equipment, etc., as necessary to complete the work.
2. Grind floor with 25 grit metal bond tooling exposing small to medium aggregate throughout the floor taking off the entire surface off the concrete in preparation for epoxy coating system.
3. Vacuum floor of any debris and dust to expose all cracks and spalls for repair.
4. Fill all spalls and cracks with fast curing epoxy, allow to fully dry then grind flush.
5. Install Thermal-Chem Armor Prime 726 and broadcast either FLAKE OR QUARTZ into wet epoxy, allow to fully dry.
6. Vacuum and scrape any residual FLAKE OR EPOXY, apply grout-coat of Thermal-Chems 745 clear epoxy. Allow to fully dry, allow to fully dry.
7. Inspect all completed work with customer representative to determine conformance with this specification.
8. Clean up jobsite and dispose of MSP Concrete Polishing's debris in dumpster(s) as provided by customer.

Pricing:

Deco Flake system - \$7,229.25 @ \$6.75 a sq. ft.

Deco Quartz - \$7,443.45 @ \$6.95 a sq. ft.

Notes:

- 1.) Price includes up to 24 oz. patching material (standard grey). Beyond 24 oz. of patching material will be T&M with \$85.00 per employee working on concrete repair.
- 2.) Price includes all labor, material and taxes.
- 3.) Because of the previous VCT there is a good chance that there will be grid of "ghosting" lines. No matter the amount of grinding it can not be garenteed these lines will go away.

**Access to Work Area:**

Customer agrees to remove all non-fixed items in the area of the work so as not to impede MSPCP progress at the jobsite. This proposal does not include the moving of equipment, supplies or other personal property from the area to be prepared. Customer will accept all material applications "as well as reasonably possible" at all areas with limited or restricted access.

**Additional Customer Provided Assistance:**

1. Customer to obtain all permits, licenses and inspections as required for the work.
2. All equipment is to be removed from the area prior to MSPCD's arrival on site.
3. Customer is to provide dumpster for dried slurry, concrete dust and debris.

There may be products, ingredients or personnel in the facility that are subject to the absorption or inhalation of solvent odors, dust or shot. If so, it will be the responsibility of the owner or his agent to protect such products, ingredients or personnel; from the solvent in the materials used in the preparation and coating,

**ATTENTION:**

Please choose pricing option then sign and return entire proposal via email upon acceptance of proposal. (No cover sheet is necessary) We will contact you for scheduling this service.

Email: [Ryan@mspconcretepolishing.com](mailto:Ryan@mspconcretepolishing.com)

The above-specified information is satisfactory and is hereby accepted.	
Date of Acceptance: _____	P.O. # Or Physical Address: _____
Signature: _____	Title: _____

ESTIMATE

DESIGNER CAROL

DATE 4-6-19  
 NAME CHIPPEWA CITY HALL  
 ADDRESS (FIRE #) \_\_\_\_\_  
 HOME PHONE \_\_\_\_\_ WORK PHONE \_\_\_\_\_

Room	Product	Size	Yards	Retail	Sale Price	Cost
	COUNCIL CHAMBERS FLOORING					
	OPTION 1: CARPET (NYLON)	TILES	THRU-OUT	140 \$32.95	23.95	3353

TAKE UP OLD FLOORCOVERING \_\_\_\_\_  
 DISPOSAL \_\_\_\_\_  
 MOVE APPLIANCES/FURNITURE PULL & REPLACE TOILET by City Hall  
 REMOVE & REPLACE BASE/QUARTERROUND 150  
 UNDERLAYMENT/DUROCK & INSTALLATION 412  
 ADHESIVE & SEAM SEALER/PRIMER \_\_\_\_\_  
 GROUT \_\_\_\_\_  
 METAL/COVEBASE transition edges 35  
 TRAVEL \_\_\_\_\_  
 OTHER \_\_\_\_\_  
 PREPARATION/COMPLETION (AN ALLOWANCE OF \_\_\_\_\_ HOURS) 200  
 PREPARATION OF AREA IS ONLY AN ESTIMATE BASED ON \$25.00/HOUR/MAN Approx  
 INCLUDES CLEANING, VACUUMING, SCRAPING, GRINDING, LEVELING, RENAIL & REPAIR AREA, ETC. 1200  
 CARPET LABOR \_\_\_\_\_  
 VINYL LABOR \_\_\_\_\_  
 CERAMIC LABOR \_\_\_\_\_  
 WOOD LABOR \_\_\_\_\_  
 OTHER CHARGES \_\_\_\_\_  
 TOTAL \$ 5,350

DEPOSIT (MINIMUM 50%) \_\_\_\_\_  
 BALANCE ON COMPLETION \_\_\_\_\_  
 2 LOCATIONS

201 N. Bridge Street. 544 Broadway Street  
 Chippewa Falls, WI 54729 Menomonie, WI 54751  
 Tel: 715-723-8852 Tel: 715-235-3917  
 Fax: 715-723-2821 Fax: 715-235-3937

**KORGER'S**  
 FURNITURE & DECORATING  
 PAINT- WINDOWCOVERING  
 FLOORING- FURNITURE

12 MONTHS INTEREST FREE  
 FINANCING IS AVAILABLE TO  
 QUALIFIED CUSTOMERS:  
 A SERVICE CHARGE OF 1-1.2%  
 PER MONTH WILL BE CHARGED  
 ON ALL ACCOUNTS OVER 30 DAYS

# AMERICAN® FLOOR MATS walk well

152 Rollins Avenue, #102  
Rockville, MD 20852  
800-762-9010 / 301-881-7840 (fax)

## Quote

Date	Quote #
4/11/2019	80951

Prepared By	Prepared For
Neil Fischer Sales Department 800-762-9010 301-881-7840 (fax) <a href="mailto:neil@americanfloormats.com">neil@americanfloormats.com</a>	City of Chippewa Falls Bridget Givens 30 W Central Street Chippewa Falls, WI 54729 United States 715-726-2719 <a href="mailto:bgivens@chippewafalls-wi.gov">bgivens@chippewafalls-wi.gov</a>

Product Name	Qty	Price	Subtotal
Anti-Static Desk Chair Mats » Standard Size: 45" x 53" - lip » Color: Clear	17	\$129.88	\$2,207.96
<b>Subtotal:</b>			\$2,207.96
<b>Free Shipping:</b>			\$0.00
<b>Taxes:</b>			\$0.00
<b>10% Discount:</b>			-\$220.80
<b>Total:</b>			\$1,987.16

If you have any questions concerning this quotation, would like to see any color samples, or want to place the order, please contact Neil Fischer via email or phone as shown above.

**THANK YOU FOR YOUR BUSINESS!**

*Quotation valid until: June 10, 2019*

*\* Carpet flooring protection*



Skip to main content

Office Products

Shop Deals of the Day

Deliver to Chippewa

Your Amazon.com Today's Deals Gift Cards

EN

Hello, Sign in Account & Lists

Orders Try Prime


0

Cart

Office Products Office Deals School Supplies Printers, Ink & Toner Projectors



Office Products > Office Furniture & Lighting > Furniture Accessories > Chair Mats >



Click image to open expanded view


Office Chair Mat for Hardwood Floor: 5x47 inches Straight Edge Rectangular Durable Multi-Purpose Polyethylene Desk Mat for Home & Office - Black

Lesonic 153 customer reviews

31 answered questions

Price: \$31.95 & FREE Shipping. Details

Color: Black



HARD FLOOR PROTECTION - Protect your flooring from scratches and marks of any kind with this perfect office floor mat for hardwood floors, tile, laminate, vinyl, concrete, and linoleum. Perfect floor mats for office chair, designed for Hard Floors only, NOT suitable for carpets or half rug.

- OVERSIZED & DURABLE DESIGN - Rectangular shaped chair mat 35 x 47" big enough to protect floors from scratches. Highly durable non-slip floor protector for desk chair or computer desk floor mat with anti-slide coating on the underside which is designed to firmly stay in place while in use.
BUILT TO LAST - These chair mats are thick and sturdy made of 100% pure long life polyethylene material, no cracks, curls or discoloration. It allows you to move your office chair freely while you carry out your daily tasks, helping considerably to reduce the risk of leg fatigue.
CERTIFIED SAFE - This multi-purpose floor mat is Odorless, no BPA, phthalate & PVC and does not contain volatile toxins for a healthy indoor environment. Long-lasting protection against daily wear & tear with dirt-resistant formula.

Share

\$31.95

& FREE Shipping. Details

Want it Friday, April 12? Order within 9 hrs 42 mins and choose Two-Day Shipping at checkout. Details

In Stock

Qty: 1

Add to Cart

Buy Now

Sold by LESONIC and Fulfilled by Amazon. Gift-wrap available.

Yes, I want fast, FREE Shipping with Amazon Prime

Deliver to Chippewa Falls 54729

Add to List

Have one to sell?

Sell on Amazon



The Original Rubber Door Stoppers-Qualif...

Wundermax decorative door stopper with bonus holders, door stop works o...

1,626

\$8.99

Ad feedback

17 @ \$31.95 = \$543.15

\*Planking Floor Protection

Skip to main content

Office Products


Shop Deals of the Day

Deliver to Chippewa


Your Amazon.com Today's Deals Gift Cards

EN Hello, Sign In Account & Lists Orders Try Prime Cart

Office Products Office Deals School Supplies Printers, Ink & Toner Projectors



Office Products > Office Furniture & Lighting > Furniture Accessories > Chair Mats >



Roll over image to zoom in

Chair Mat  
36" x 48" -  
Chair Mat for  
Hard Floor |  
Transparent |  
Easy to Clean Available

28 customer

Questions

& FREE Shipping.

(with lip)

36" x 48"

(without lip)

46" x 54" (with lip)

48" x 52"

48" x 72"

48" x 120"

Share

\$29.99

& FREE Shipping. Details

Want it Friday, April 12? Order within 1 hr 10 mins and choose Two-Day Shipping at checkout. Details

In Stock

Qty: 1

Add to Cart

Buy Now

Sold by Iconik Direct and Fulfilled by Amazon. Gift-wrap available.

Yes, I want fast, FREE Shipping with Amazon Prime

Deliver to Chippewa Falls 54729

Add to List

Have one to sell? Sell on Amazon



The Original Rubber Door Stoppers-Qualit...

Wundermax decorative door stopper with bonus holders, door stop works o...

1,626


\$8.99  prime

Ad feedback

- Non-slip hard floor protection - highly transparent - allows the aesthetic of your floor to show through
- Designed to prevent against wear and tear caused by office chair casters
- Allows your office chair to move freely while carrying out daily tasks, helping considerably reduce the risk of leg fatigue
- Ensures complete stability when used on hard floor surfaces
- Under standard use will not crack, curl, break, scratch or discolor

Compare with similar items

New (1) from \$29.99 & FREE shipping. Details



ATOMI Chair C Newly.

\$26.99

Ad feedback

17 @ \$29.99 = \$509.83

\* Planing Floor Protection

Sponsored products related to this item